

INSTRUCTIONS FOR INTERNAL AND EXTERNAL USE - CREDITS REQUIRED

Indonesia/Kemal Juffri for Panos Pictures/Wild Illipe Nut Butter Production and Palm Sugar, Kalimantan

Please credit partners and teams:

World Resources Institute Indonesia

Please credit featured organisations and teams:

The Wild Bunch Illipe butter and Partnerships for Forests (P4F)

Caption format:

Image Caption/Kemal Juffri for Panos Pictures/Food and Land Use Coalition

Files:

FOLU_Indonesia_062; FOLU_Indonesia_101:

View of a forest in Sintang regency, West Kalimantan, Indonesia.

FOLU_Indonesia_066; FOLU_Indonesia_067; FOLU_Indonesia_079; FOLU_Indonesia_083:

A farmer climbs up a palm sugar tree to collect sap at a forest in Sintang regency, West Kalimantan, Indonesia.

FOLU_Indonesia_073; FOLU_Indonesia_074:

A farmer boils the sap collected from the sugar palm tree to be turned into sugar at a forest in Sintang regency, West Kalimantan, Indonesia.

FOLU Indonesia 085; FOLU Indonesia 087:

A farmer walks back to his traditional boiling station after collecting the sap at a forest in Sintang regency, West Kalimantan, Indonesia.

FOLU_Indonesia_088; FOLU_Indonesia_091; FOLU_Indonesia_092; FOLU_Indonesia_093; FOLU_Indonesia_095:

A farmer traditionally process sugar palm juice taken from a sugar palm tree into palm sugar at a forest in Sintang regency, West Kalimantan, Indonesia.

FOLU_Indonesia_106:

Portrait of an illipe nut farmer at the forest in Sintang regency, West Kalimantan, Indonesia.



INSTRUCTIONS FOR INTERNAL AND EXTERNAL USE - CREDITS REQUIRED

FOLU_Indonesia_108:

Portrait of illipe nut farmers at the forest in Sintang regency, West Kalimantan, Indonesia.

FOLU_Indonesia_110; FOLU_Indonesia_112; FOLU_Indonesia_113; FOLU_Indonesia_114:

Farmers harvest ripe illipe nuts that fell from the endangered Shorea Stenoptera tree in the forest in Sintang regency, West Kalimantan, Indonesia. The nut from this tree is a principal source of a vegetable fat called 'tangkawang' or 'Borneo tallow'; or sometimes 'Illipe'.

FOLU_Indonesia_115:

A ripe illipe nut that fell from the endangered Shorea Stenoptera tree in the forest is harvested in Sintang regency, West Kalimantan, Indonesia. The nut from this tree is a principal source of a vegetable fat called 'tangkawang' or 'Borneo tallow'; or sometimes 'Illipe'.

FOLU_Indonesia_121:

Farmers dry illipe nuts in the sun at a village in Sintang regency, West Kalimantan, Indonesia.

FOLU_Indonesia_127:

A worker uses a moisture meter to check the level of moisture of sun-dried illipe nuts before packaging them at a village in Sintang regency, West Kalimantan, Indonesia.

FOLU_Indonesia_130:

A farmer puts sun-dried illipe nuts into a basket before pouring them into sacks at a village in Sintang regency, West Kalimantan, Indonesia.

FOLU_Indonesia_135:

Farmer pack sun-dried illipe nuts into sacks before weighing them at a village in Sintang regency, West Kalimantan, Indonesia.

FOLU_Indonesia_137:

Workers pour sun-dried illipe nuts into a sack at a village in Sintang Regency, West Kalimantan, Indonesia.

FOLU_Indonesia_141; FOLU_Indonesia_144; FOLU_Indonesia_145; FOLU_Indonesia_148; FOLU_Indonesia_149:



INSTRUCTIONS FOR INTERNAL AND EXTERNAL USE - CREDITS REQUIRED

An illipe nut processing plant in Sintang, West Kalimantan, Indonesia.

FOLU_Indonesia_150; FOLU_Indonesia_153:

Illipe butter are stored at a warehouse in Sintang, West Kalimantan, Indonesia.

FOLU_Indonesia_158:

Illipe nuts are sun-dried at a processing facility in Sintang, West Kalimantan, Indonesia.

FOLU_Indonesia_162:

Workers pour illipe nuts into a sack at a warehouse where illipe nuts are stored in Sintang city, West Kalimantan, Indonesia.

FOLU_Indonesia_166:

Daily life in Sintang city, Sintang regency, West Kalimantan, Indonesia.